


HUTTE HBR 203



Complete Rig Weight	6.0t
Access Width	900mm
Access Height	2600mm
Minimum operating width	1300mm
Typical operating Height Range	2700mm – 3600mm
Rotary Head Torque output	20,000 Nm
Max Retraction force	60kN
Max Crowd force	38kN
Power Pack Unit Type	Remote – Diesel 110 Hp
Power Pack Height / Width	H 2410mm / W1900mm
Power Pack weight	Max 2700 kg
Maximum diameter of Clamping device	510

Drilling Capabilities

Auger	260mm	320mm	350mm	450mm	600mm
Casing	300mm	345mm	390mm	508mm	660mm
Max. Drill Depth	25m	25m	25m	22m	12m
Max Cased Depth	–	10m	8m	8m	–



Overall weight - Machine 4200 kg / 5200 kg - Power Pack 2600 kg, depending on mounted equipment
Gewicht - Maschine 4200 kg / 5200 kg - Antriebsaggregat 2600 kg, abhängig von der Geräteausrüstung

- * Technical Specifications are subject to modifications without prior notice and incurring responsibility for machines previously sold. The shown machines may have optional equipment. Error and misprints reserved.
- * Technische Änderungen ohne Vorankündigung und Verpflichtung gegenüber früher gelieferten Geräten. Die abgebildeten Geräte können Sonderausstattung haben. Irrtum und Druckfehler vorbehalten.

